

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2263	"1394" and (firewire or fire-wire or fire adj wire)	US-PGPUB; USPAT	OR	ON	2005/01/19 10:02
S2	5	"wireless 1394" and preamble	US-PGPUB; USPAT	OR	ON	2005/01/19 10:06
S3	42	"wireless 1394"	US-PGPUB; USPAT	OR	ON	2005/01/19 10:06
S4	3	S3 and (@ad<"20000216" or @rlan<"20000216" or @rlad<"20000216")	US-PGPUB; USPAT	OR	ON	2005/01/19 10:10
S5	2	"6788938".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:10
S6	4	("5991624" "6034951" "6246696" "6263210").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 10:10
S7	2	("5991624" "6034951" "6246696" "6263210").PN. and (preamble or control near3 (informat\$3 or messag\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 10:13
S8	0	("5991624" "6034951" "6246696" "6263210").PN. and (preamble or control near3 (informat\$3 or messag\$3)) and ("1394" or fire near2 wire or firewire or fire-wire)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 10:14
S9	0	("5991624" "6034951" "6246696" "6263210").PN. and (preamble or control near3 (informat\$3 or messag\$3)) and async\$	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 10:14
S10	1	("5991624" "6034951" "6246696" "6263210").PN. and (preamble or control near3 (informat\$3 or messag\$3)) and sync\$	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 10:15
S11	0	S10 and (sync\$ same (ethernet or ip))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:16
S12	0	S10 and (sync\$ and (ethernet or ip))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:16

S13	0	S10 and (ethernet or ip)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:16
S14	0	S6 and (sync\$ and (ethernet or ip))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:17
S15	0	S6 and preamble with header	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:17
S16	0	"20010014087".pn. and "control information unit"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 10:56
S17	1	"20010014087".pn. and control with information with unit	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:58
S18	0	("1394" or firewire or fire-wire or fire adj wire) same variable near3 lenght\$3 same (payload or data) same header\$1 and sequenc\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:01
S19	0	("1394" or firewire or fire-wire or fire adj wire or ethernet) and variable near3 lenght\$3 same (payload or data) same header\$1 same sequenc\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:01
S20	0	("1394" or firewire or fire-wire or fire adj wire or ethernet) and variable near3 lenght\$3 same (payload or data) and header\$1 same sequenc\$3 and retransmi\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:02
S21	0	("1394" or firewire or fire-wire or fire adj wire or ethernet) and variable near3 lenght\$3 and (payload or data) and header\$1 same sequenc\$3 and retransmi\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:02
S22	0	("1394" or firewire or fire-wire or fire adj wire or ethernet or ip) and variable near3 lenght\$3 and (payload or data) and header\$1 same sequenc\$3 and retransmi\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:02

S23	0	("1394" or firewire or fire-wire or fire adj wire or ethernet or ip) and variable near3 lenght\$3 and (payload or data) and header\$1 and sequenc\$3 and retransmi\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:03
S24	0	(ethernet or ip) and variable with lenght\$3 and (payload or data) and header\$1 and sequenc\$3 and retransmi\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:03
S25	0	(ethernet or ip) and variable with lenght\$3 and header\$1 and sequenc\$3 and retransmi\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:03
S26	6	(ethernet or ip) and lenght\$3 and header\$1 and sequenc\$3 and (control near3 (informat\$3 or messag\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:18
S27	0	(ethernet or ip) and lenght\$3 and header\$1 and sequenc\$3 and (control near3 (informat\$3 or messag\$3)) and ("1394" or firewire or fire-wire or fire adj wire)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:09
S28	0	(ethernet or ip) and lenght\$3 and header\$1 and sequenc\$3 and (control near3 (informat\$3 or messag\$3)) and ("1394" or firewire or fire-wire or fire adj wire)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:10
S30	4	(ethernet or ip) and lenght\$3 and header\$1 and sequenc\$3 and (control near3 (informat\$3 or messag\$3)) and wireless\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:19
S31	4	S30 not atm	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 11:19
S32	1	"20010014087".pn. and predetermined	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 12:08
S33	1160	wireless with ("1394" or firewire or fire adj wire or fire-wire)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 12:09

S34	1118	wireless with ("1394" or firewire or fire adj wire or fire-wire)	US-PGPUB; USPAT	OR	ON	2005/01/19 12:09
S36	1118	wireless with ("1394" or firewire or fire adj wire or fire-wire)	US-PGPUB; USPAT	OR	ON	2005/01/19 13:40
S37	46	S36 and (control near3 (informat\$3 or messag\$3)) and payload	US-PGPUB; USPAT	OR	ON	2005/01/19 20:03
S38	2	("6011784" "6288800").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 13:51
S39	1	("5699365").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 13:53
S40	2	"6430158".pn. and control	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 20:06
S41	0	"6430158".pn. and preamble	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 20:06
S42	1	"6430158".pn. and control adj informa\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 20:07
S43	158	isochronous and control adj (informa\$ or signal) and preamble	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 20:07
S44	87	S43 and payload	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 20:11
S45	18	S44 and (multi adj3 payload or multipayload or multi-payload or multiple near3 payload)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 20:08
S46	21	S44 and "1394"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 20:11

S47	20	S46 not S45	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 11:10
S48	4	("5535208" "5640392" "5680266" "5710773").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 20:19
S49	0	("5535208" "5640392" "5680266" "5710773").PN. and "1394"	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 20:19
S50	0	("5535208" "5640392" "5680266" "5710773").PN. and firewire	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/19 20:19
S54	4	("5535208" "5640392" "5680266" "5710773").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/20 10:06
S55	0	"5640392".pn. and "1394"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:07
S56	0	"5640392".pn. and firewire	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:07
S57	0	"5640392".pn. and preamble	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:07
S58	1	"5640392".pn. and data near3 block	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:08
S59	0	("1394" and ((data near3 block) or payload) and (preamble or control near3 (signal\$4 or messag\$3 or informat\$3)) and header\$.ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:12
S60	1	("1394" and ((data near3 block) or payload) and (preamble or control near3 (signal\$4 or messag\$3 or informat\$3))).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:12

S61	962	"1394" and ((data near3 block) or payload) and (preamble or control near3 (signal\$4 or messag\$3 or informat\$3)) and header\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:13
S62	259	"1394" and ((data near3 block) or payload) and (preamble or control near3 (signal\$4 or messag\$3 or informat\$3)) same header\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:13
S63	96	"1394" and ((data near3 block) or payload) and (preamble or control near3 (signal\$4 or messag\$3 or informat\$3)) same header\$ and isochronous	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:56
S64	0	"1394" and ((data near3 block) or payload) and (preamble or control near3 (signal\$4 or messag\$3 or informat\$3)) same header\$ and isochronous and wireless and "6256390".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:56
S65	20	"1394" and ((data near3 block) or payload) and (preamble or control near3 (signal\$4 or messag\$3 or informat\$3)) same header\$ and isochronous and wireless	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 10:56
S66	158	isochronous and control adj (informa\$ or signal) and preamble	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 11:10
S67	87	S66 and payload	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 11:10
S68	21	S67 and "1394"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 11:10
S69	18	S67 and (multi adj3 payload or multipayload or multi-payload or multiple near3 payload)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:21
S70	20	S68 not S69	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 11:10

S71	15	S70 and wireless	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:00
S72	1	"6084888".pn. and sequenc\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:37
S73	3	(combin\$7 with (multi adj3 payload or multipayload or multi-payload or multiple near3 payload) and (packet\$ or ATM or cell\$1)).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:36
S74	0	S73 and atm	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:36
S75	0	S73 and cell\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:37
S76	0	"6084888".pn. and lenght\$ and header\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:10
S77	0	"6084888".pn. and lenght\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:11
S78	2	"6084888".pn. and header	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:13
S79	0	(cell or frame) with header\$1 with lenght\$1	USPAT	OR	ON	2005/01/20 15:14
S80	0	(cell or frame) with header\$1 same lenght\$1	USPAT	OR	ON	2005/01/20 15:14
S81	1	(cell or frame) with header\$1 same lenght\$1	US-PGPUB	OR	ON	2005/01/20 15:16

S82	0	(packet or frame) with header\$1 same length\$1 and (multiple near2 payload or multipayload or multi-payload or multi near2 payload)	USPAT	OR	ON	2005/01/20 15:17
S83	0	(packet or frame) with header\$1 and length\$1 and (multiple near2 payload or multipayload or multi-payload or multi near2 payload)	USPAT	OR	ON	2005/01/20 15:17
S84	1	"6084888".pn. and "102"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:27
S85	1	"6084888".pn. and "frame control information"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:36
S86	0	"6084888".pn. and retransmi\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:49
S87	0	"6084888".pn. and "error code"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:37
S88	2	"6084888".pn. and error with correct\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:37
S89	270	ATM with (cell\$1 or frame\$1) same retransmi\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:50
S90	43	ATM with (cell\$1 or frame\$1) same error with retransmi\$	USPAT	OR	ON	2005/01/20 15:51
S91	26	S90 and wireless	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:57

S92	12	S90 and wireless and arq	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:58
S93	2	S90 and wireless and arq and isochronous	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:58
S94	1	"20010014087".pn. and "control station"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:58